



C. BOTULINUM TYPE A TOXIN – HAEMAGGLUTININ COMPLEX

# Information for patients treated with Dysport®



PART OF THE GALDERMA  
AESTHETICS COLLECTION

GALDERMA

# The *freedom* to **express yourself**

Our expressions are part of who we are, but as we age our faces don't always communicate what we want them to.<sup>1</sup>

Changes to the underlying structure of the skin over time results in folds and wrinkles that alter the appearance of the face.<sup>1</sup> These lines, particularly in the frown area and outer corners of the eyes can cause our faces to look old, sad, tired, or angry regardless of how we feel.<sup>1,2</sup>




- Repetitive movement of facial muscles causes lines and wrinkles to form, particularly in the frown area and the outer corners of the eyes
- Over time you may notice the lines get deeper

Your Cosmetic Practitioner has recommended treatment with Dysport anti-wrinkle injections, as part of a personalised treatment plan to help address your individual needs. This brochure contains information to help answer any questions you may have about treatment with Dysport. If you have further questions, please consult your Cosmetic Practitioner.

## How **Dysport** works<sup>3</sup>

Dysport is an anti-wrinkle treatment designed to smooth away wrinkles and lines in the frown area and the outer corners of the eyes. It is a type of botulinum toxin and is generally well tolerated at the low doses administered for cosmetic use.




Dysport works by temporarily blocking the signals from nerve endings that tell muscles to contract

**Dysport relaxes the muscles in the frown area and the outer corners of the eyes, so the skin looks smoother and less wrinkled.<sup>1,3</sup>**

Dysport allows the untreated areas to move as normal. You will still be able to laugh, smile and frown, just with less wrinkling of the skin in the treated areas.

# Before & after

## Dysport Treatment



### BEFORE TREATMENT

at maximum frown



### BEFORE TREATMENT

at maximum smile



### AFTER TREATMENT

at maximum frown



### AFTER TREATMENT

at maximum smile



*Individual results may vary.*

# Frequently asked } questions about Dysport



## HOW QUICKLY WILL I SEE RESULTS WITH DYSPORT?

Improvements can be noticed as early as 24 hours.<sup>4,7</sup> The median time to notice results is 2-3 days after treatment.<sup>6,7</sup> If you decide not to continue ongoing Dysport treatment, your muscle activity will gradually return and your wrinkles will slowly reappear. Your wrinkles will not be worse than your pre-treatment state.



## HOW LONG WILL THE EFFECTS OF DYSPORT TREATMENT LAST?

The effects of Dysport may last up to 6 months for frown lines.<sup>3</sup> It is important to note that results will vary from person to person. Speak with your Cosmetic Practitioner to discuss when you should be scheduled for your next treatment.

## WHAT ARE THE SIDE EFFECTS OF DYSPORT?

As with any cosmetic medical treatment, side effects can occur. These can include headaches, pain, bruising, swelling, itchiness, a feeling of pins and needles or redness at the injection site. Muscle weakness such as drooping eyelids or eyebrows along with swelling of the eyelids may also occur. If you experience any of these unwanted side effects you should consult your Cosmetic Practitioner.





DYSPO<sup>®</sup>RT (Clostridium botulinum type A toxin-haemagglutinin complex, 300 & 500 IPSEN units) is a Prescription Medicine for the treatment of vertical frown lines between the eyebrows and crow's feet lines around the eyes. DYSPO<sup>®</sup>RT has risks and benefits. For more information, talk to your healthcare professional or read the Consumer Medicine Information available at [www.medsafe.govt.nz](http://www.medsafe.govt.nz). Ask your Doctor if DYSPO<sup>®</sup>RT is right for you. If you experience side effects and they concern you, see your healthcare professional. You will need to pay for DYSPO<sup>®</sup>RT and for the administration and consultation charges.

**References:** **1.** Finn CJ *et al. Dermatol Surg* 2003;29(5):450-455. **2.** Carruthers A *et al. J Cosmet Laser Ther* 2007;9 (Suppl 1):6-10. **3.** Dysport Data Sheet. **4.** Kane MA *et al. Plast Reconstr Surg* 2009;124(5):1619-29. **5.** Schlessinger J *et al. Dermatol Surg* 2011;37:1434-1442. **6.** Brandt F *et al. Dermatol Surg* 2009;35:1893-1901. **7.** Moy RM *et al. Arch Facial Plast Surg* 2009;11(2):77-83.

Galderma Australia Pty Ltd, Suite 4, 13B Narabang Way, Belrose NSW 2085. ABN 12 003 976 930.

Distributed in NZ by Healthcare Logistics, 58 Richard Pearse Drive, Airport Oaks, Mangere 2022, NZ. Phone: 1800 144 944 (AUS) 0800 174 104 (NZ) Fax: +61 (2) 9986 1699. Sponsor: Ipsen Pty Ltd, Level 2, Building 4, Brandon Office Park, 540 Springvale Road, Glen Waverley, Victoria 3150 Australia. Distributed by Galderma Australia Pty Ltd for the glabellar lines and lateral canthal lines indications only.

Dysport<sup>®</sup> is a trademark of Ipsen Pty Ltd. Galderma trademark is owned by Galderma Holding S.A. TAPS Approval No: NA 11757. NZ-DYS-2100014. DYS0010. October 2021. Code: 1153374

**GALDERMA**

EST. 1981