21 Metre 4x4 Hybrid Knuckle Boom

Features

- Winner of the International Powered Access Federation's 'IAPA Product of the Year 2018' award, the HeightRider 21 4x4 (HR21 4x4) self-propelled cherry picker will lift 2 persons and their tools to a working height of 20.8m or a working outreach of 13m.
- Proportional controls deliver smooth, measured operation while 160° cage rotation and a 150° fly-boom allow precise positioning anywhere in its vast working envelope.
- Weighing just 6,640kg, the HR21 4x4 combines innovative weight and space saving design with an excellent turning circle to deliver outstanding manoeuvrability on-site and lower transportation costs.
- The HR21 4x4's 1.8m wide ToughCage (steel cage option available) offers more space for materials and tools and the tough, impact-resistant composite base and larger cross-section steel rails of the ToughCage also give additional strength and durability, while providing additional operator protection.







Deisel & Electric

- Available with two power options, Diesel-only or Hybrid power:
- The Diesel option incorporates a versatile and efficient TIER IV compliant engine to deliver maximum traction and gradeability, making it ideal for rough or uneven ground.
- The Hybrid option incorporates a smaller, power-optimised TIER IV compliant engine supported by the machine's battery pack for when extra power is needed. This maintains power and performance while reducing fuel consumption for maximum efficiency. The Innovative 'Diesel Re-Gen' feature also recharges the batteries without a mains power source, giving a 'fast-charge' whenever the machine is idle and the engine running. In addition, an electric-only mode allows zeroemission operation, making it ideal for indoor use, or for quiet, clean operation.

0508 546 411 | WWW.SAFEHIRE.CO.NZ

Specifications





Working Height 20.8m (68ft 6in)

Unrestricted Working Outreach at 250kg 13m (42ft 8in) **45% Gradeability** 4WD for rough terrainGVW Only 6,640kg Lightest in its class

ToughCage with SiOPS® Multi-award winning operator protection

	(A) 68ft 6in	
	(B) ^{18.8m} 62ft	
uperb Manoeuvrability .89m outside turning radius	(C) 13m (C) 42ft 8in	
uspension System nproving traction & comfort	250kg 550lbs	
wing-Out Engine Tray	1.8m x 0.8m 5ft 11in x 2ft 8in	
uick & easy to service	150°	
latform Rotation & Fly-Boom nproved access to	160*	
pplications	(D) 2.18m 7ft 2in	
laintenance-Free Batteries as		
tandard	(F) 2.27m 7ft 5in	
educing maintenance		
owntime	(H) 5.47m 17ft 11in	
ull Battery Monitoring & rotection	(J) ^{6.62m} 22ft	
creasing battery life and wering costs	6km/h 3.7mph	
econd Generation Hybrid ower Available	3.89m 12ft 9in	
nvironmentally conscious nd more fuel-efficient	45% 24°	
ower	6640kg 14640lbs	

S

3

S

S

C

Ρ

а

Ν

S

R

do

F

Ρ

lo

S

P

a

p

¢

ŧ,

-/---

×.

T) ¢

o kg/lb

20.8m

0508 546 411 | WWW.SAFEHIRE.CO.NZ

access-Hire

Reach New Heights!

Nelson Office: 9 Vivian Place Tahunanui Nelson 7011

Marlborough Office: 109b Redwood Street Blenheim 7201

Ph: 03 546 4111 | Free: 0508 546 411 E: admin@access-hire.co.nz

Servicing the Top of the South Island Region

View More Online WWW.SAFEHIRE.CO.NZ